


Name: \_\_\_\_\_

Date: \_\_\_\_\_


**Math 10W Chapter 7 Assessment Quiz - Trigonometry**

1. A right triangle has one side measuring 6 cm. The length of the hypotenuse is 10 cm. Draw a diagram of the triangle and calculate the length of the missing side.



$$\begin{aligned}x^2 + 6^2 &= 10^2 \\x^2 + 36 &= 100 \\x^2 &= 100 - 36 \\x^2 &= 64 \quad \quad x = 8 \text{ cm}\end{aligned}$$


2. A telephone pole is secured with a guy wire as shown in the diagram. The guy wire makes an angle of  $75^\circ$  with the ground and is secured to the ground 6 m from the bottom of the pole. Determine the height of the telephone pole, to the nearest tenth of a metre.



$$\tan 75^\circ = \frac{x}{6}$$

$$\begin{aligned}x &= 6 \tan 75^\circ \\&= 22.4 \text{ m}\end{aligned}$$

3. In  $\triangle ABC$ , the side AC is 15 cm, and  $\angle B$  is  $25^\circ$ . How long is AB, to the nearest centimetre?




$$\sin 25^\circ = \frac{15}{x}$$

$$x \sin 25 = 15$$

$$x = \frac{15}{\sin 25}$$

$$x = 35.5 \text{ cm}$$

4. In  $\triangle XYZ$ , XY and XZ have equal lengths of 6 cm. YZ is 10 cm. Determine the measure of  $\angle X$ , to the nearest degree.



$$\sin \theta = \frac{5}{6}$$

$$\sin \theta = 0.8333$$

$$\theta = \sin^{-1}(0.8333)$$


$$= 56.4^\circ$$

$$X = 2\theta$$

$$X = 2(56.4)$$

$$= 113^\circ$$

5.



A rock face is 100 m from the base of a California redwood tree. The angle of elevation from the top of the rock face to the top of the tree is  $25^\circ$ . The angle of depression to the bottom of the tree is  $10^\circ$ .

- a) Determine the height of the rock face, to the nearest tenth of a metre.

$$\tan 10^\circ = \frac{R}{100}$$

$$100 \tan 10^\circ = R$$

$$17.6 \text{ m} = R$$

- b) Determine the height of the tree, to the nearest tenth of a metre.


$$\tan 25^\circ = \frac{L}{100}$$

$$100 \tan 25^\circ = L$$

$$46.6 \text{ m} = L$$

$$\text{HEIGHT OF TREE} = 46.6 + 17.6 = 64.2 \text{ m}$$

6. Tim lives on Taylor Avenue, 500 m west of where it intersects with Swift Street. The library is on Swift Street, north of the intersection.



- a) When Tim goes from his house to the library, he walks diagonally across a field at an angle of  $30^\circ$  to Taylor Avenue. How far does Tim walk if he takes this route? Answer to the nearest tenth of a metre.

$$\cos 30^\circ = \frac{500}{x}$$

$$x \cos 30^\circ = 500$$

$$x = \frac{500}{\cos 30^\circ} \approx 577.4 \text{ m}$$

- b) If Tim decides to walk from his house to the library along the streets, how far does he travel? Answer to the nearest tenth of a metre.

$$\tan 30^\circ = \frac{y}{500}$$

$$y = 500 \tan 30^\circ \\ = 288.7 \text{ m}$$

$$\text{so } 500 + 288.7 = 788.7 \text{ m}$$

$$\text{HE TRAVELS } 788.7 \text{ m}$$

- c) Determine which route is shorter, and by how much.

$$788.7 \text{ m} - 577.4 \text{ m} = 211.3 \text{ m}$$

THE DIAGONAL IS SHORTER BY 211.3 m